



RETRACTABLE PIT LADDER

wurtec
www.wurtec.com



20-102-08

8' Retractable Pit Ladder

PRODUCT DESCRIPTION

The Wurtec Retractable Pit Ladder is a space-saving, wall-mounted ladder that provides safe and convenient access to the elevator hoistway pit. Designed with safety as its top priority, this ladder includes an **integrated safety switch** that prevents the ladder from being extended while the elevator is in use—the **key feature that makes it fully compliant with ASME A17.1-2022 / CSA B44:22 Section A17.1 2.2.4.2.7 code requirements**.

Whether you're working on a new installation or modernizing existing equipment, the Retractable Pit Ladder is a compact, reliable, and code-compliant solution for accessing the pit safely.

KEY FEATURES & BENEFITS

- **Integrated Safety Switch (Primary Compliance Feature):** Prevents ladder extension while the elevator is in use, ensuring safe pit access and automatic code compliance without the need for additional lockout systems.
- **Slim, Space-Saving Design:** Collapses to less than 2" when not in use and expands to 8" from the wall when deployed
- **Customizable Fit:** Built to accommodate a wide range of pit depths. Mounts directly to the pit wall for easy installation
- **Durable Construction:** Made from high-strength steel or aluminum. Available with powder-coated or galvanized finish
- **ASME Code Compliant:** Fully meets **ASME A17.1-2022 / CSA B44:22 Section A17.1 2.2.4.2.7**. Trusted by elevator contractors and inspectors across the industry



RETRACTABLE PIT LADDER

wurtec
www.wurtec.com

PRODUCT DESCRIPTION


Specification	Detail
Collapsed Depth	Less than 2 inches
Extended Depth (from wall)	7-11/16" inches
Mounting Style	Direct wall mount
Custom Height Options	Yes - tailored to pit depth
Material	Steel or aluminum (model dependent)
Finish	Powder-coated or galvanized
Safety Switch	Integrated - electrically interlocked
Code Compliance	ASME A17.1-2022/CSA B44:22 Section 2.2.6



RETRACTABLE PIT LADDER

wurtec
www.wurtec.com

LADDER DIMENSIONS



Part No.	Length ft. (m)	Max. Pit Depth	Weight (lbs./kg)
20-102-08	8' (2.44 m)	4'	33.44 lbs (15.17 kg)
20-102-10	10' (3.05 m)	6'	37.23 lbs (16.89 kg)
20-102-12	12' (3.66 m)	8'	41.02 lbs (18.61 kg)