

WUR-COM CARTOP BOXES WITH POWER MONITORING

Part No. 11-10062620 | 11-10062622




TABLE OF CONTENTS

General Warnings.....	3
Installation Documentation & Video Tutorials.....	4
Equipment Description & Intended Use.....	4
Packing List.....	5
Installation / Assembly Tools Required.....	5
Installation Instructions.....	6
Notes.....	7

NOTICE

GENERAL WARNINGS

The equipment covered in this manual should only be installed, used, and serviced by qualified personnel trained in proper work and safety procedures. This manual is intended to assist such trained individuals in the installation and use of this equipment and is not intended as a substitute for proper training and experience.

This document or any other information regarding this equipment is not intended to cover all of the possible situations which may be encountered while using the equipment described herein. Should specific situations arise which are not covered by the information provided, or should the user desire further details, the specifics should be directed to Wurtec, Inc.

Note: In the effort of continuous product improvement, Wurtec, Inc. reserves the right to modify the design and specifications of this product at any time without notice.

INSTALLATION DOCUMENTATION & VIDEO TUTORIALS

All Wur-Com documentation, including; installation instructions, field wiring diagrams, video tutorials, quick start guides, user manuals, etc. can be found on the Wurtec website, here:

<https://wurtec.com/wur-com>

Or, use the camera app on your phone to scan the QR Code below.



EQUIPMENT DESCRIPTION & INTENDED USE


The Wur-Com Emergency Communication system provides essential emergency contact between passengers in the elevator car and the authorized personnel in the building or at a call center. By pressing the help button on the car station, passengers are quickly connected to emergency help using an audio feed or chat feature.

Using the Lobby Station, or any internet connected device, Administrators can login to see which elevator is experiencing issues. The video feed allows them to see directly into the car, discern the nature of the emergency, and contact the appropriate authorities to resolve the issue.

During an emergency the Wur-Com Emergency Communication system allows administrators to remain in constant contact with passengers in the elevator car.

The Wur-Com Emergency Communication system conforms to the ASME A17.1/CSA B44 2019 and IBC 2018 requirements.

PACKING LIST




- **11-10062620 - Cartop Box 2-Wire with Power Monitoring**
- **11-10062622 - Cartop Box Cabin Switch with Power Monitoring**

INSTALLATION / ASSEMBLY TOOLS REQUIRED

The following tool list is the minimum required for installation. This process can be completed with the following tools:

- Electric drill and bits
- Phillips Head Bit or Standard Phillips Head Screwdriver.
- Measuring Tape
- Pencil
- (4) #12 Self-Tapping Screws (Not Included)

INSTALLATION INSTRUCTIONS



Step 1: Securing the Cartop Box

- Before installing the Cartop Box, consider the following:
 - The ethernet and power from the COP must be able to reach the box.
 - The ethernet and power from the travel cable must be able to reach the box.
- The Cartop box has four slots for #12 self-tapping screws (not included). Use screws to secure the Cartop box to the roof of the cab.
- To finish wiring the Wur-Com unit, check the wiring diagram for complete wiring information.
- *NOTE: Check the voltage with a multimeter BEFORE powering on. (5 Volts only).

Revision: 02 | 1/2025| Document No.: Instructions_Wur-Com Cartop Boxes with Power Monitoring

NOTES

NOTES